

SL
B3
CMT

case based on the total weight of the polymer) from 30 to 100% by weight of at least one polymer a, from 0 to 60% by weight of at least one monomer b having polar groups and from 0 to 30% by weight of at least one further monomer c, different than monomer a, in polymerized form.

15. (New) A process as claimed in claim 14³, wherein the monomer a is selected from the group consisting of esters of α,β -ethylenically unsaturated C_3 - C_8 monocarboxylic acids or C_4 - C_8 dicarboxylic acids with C_1 - C_{12} alkanols, vinyl esters of C_1 - C_{12} monocarboxylic acids, aromatic vinyl compounds and C_2 - C_6 olefins.

Al
SL
M

16. (New) A process as claimed in claim 14, wherein the monomer b is selected from the group consisting of α,β -ethylenically unsaturated C_3 - C_8 monocarboxylic acids, α,β -ethylenically unsaturated C_4 - C_8 dicarboxylic acids with C_1 - C_{12} alkanols and anhydrides thereof, aromatic vinylcarboxylic acids, monoethylenically unsaturated sulfonic and phosphonic acids, esters of α,β -ethylenically unsaturated C_3 - C_8 monocarboxylic acids with amino- C_2 - C_8 -alkanols, mono- C_1 - C_4 -alkylamino- C_2 - C_8 -alkanols or di- C_1 - C_4 -alkylamino- C_2 - C_8 -alkanols, N-vinyl lactams, esters of α,β -ethylenically unsaturated C_3 - C_8 monocarboxylic acids with C_2 - C_8 hydroxyalcohols and the ethoxylated or propoxylated derivatives thereof.--